

CORRES. CONTROL
INCOMING LTR NO.

00260RF04

DUE DATE

ACTION

DIST.	LTR	ENC
BERARDINI, J.H.	X	
BOGNAR, E.S.	X	
BROOKS, L.	X	
BUTLER, L.	X	
CARPENTER, M.	X	
CROCKETT, G. A.		
DECK, C. A.	X	
DEGENHART, K. R.		
DIETER, T. J.		
FERRERA, D. W.	X	
GIACOMINI, J. J.		
LINDSAY, D. C.	X	
LONG, J. W.		
LYLE, J. L.		
MARTINEZ, L. A.	X	
NAGEL, R. E.	X	
NESTA, S.		
NORTH, K.	X	
RODGERS, A. D.		
SHELTON, D. C.	X	
SPEARS, M. S.	X	
PIZZUTO, V. M.		
TOBIN, M.	X	
TUOR, N. R.	X	
WEMELT, K.		
WILLIAMS, J. L.		
ZAHM, C.	X	

COR. CONTROL	X
ADMIN. RECORD	X
PATS/130	

Reviewed for Addressee
Corres. Control RFP

Date By

Ref. Ltr. #

DOE ORDER #

5400.1

Bill Owens, Governor

Douglas H. Benevento, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.
Denver, Colorado 80246-1530

Phone (303) 692-2000

TDD Line (303) 691-7700

Located in Glendale, Colorado

<http://www.cdphe.state.co.us>

Laboratory and Radiation Services Division

8100 Lowry Blvd.

Denver, Colorado 80230-6928

(303) 692-3090

Colorado Department
of Public Health
and Environment

RECEIVED

2004 JUN 24 A 8:09

STATE OF COLORADO

CORRESPONDENCE
CONTROL

June 18, 2004

Mr. Joseph Legare

Director, Project Management Division

U.S. Department of Energy

Rocky Flats Field Office

10808 Highway 93, Unit A

Golden, Colorado 80403-8200

RE: Approval, Draft Data Summary Report for IHSS Group 500-4, IHSS 500-117.2, Middle Site
Chemical Storage, June 2004

Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division (the Division) hereby grants approval for the subject document and No Further Accelerated Action (NFAA). A comment resolution meeting on June 17, 2004 was successful in resolving the Division's verbal comments on the initial document. Most of our comments were routine and easily dispositioned.

Inconsistencies in establishing sampling depths beneath a layer of asphalt, although inconsequential to project decisions, will be clarified in the document. Additionally, the rationale for omitting one specific VOC sample will be further clarified.


The response to Screen 4 of the Subsurface Soil Risk Screen (SSRS) will be changed to "No" to reflect that a sufficient quantity of contaminant, in addition to a pathway(s), must be present to warrant a "Yes" and further concern for surface water quality.

Clarifications will be made in Section 6.2.1, of the data quality assessment to address low, or borderline, laboratory control and matrix spike affects and to clarify that project decisions were fully supported.

The issues and resolutions, summarized above, will be fully reflected in meeting minutes as part of the Administrative Record.

We look forward to verifying the final, revised document. If you have any questions regarding this correspondence, please contact me at (303) 692-3367 or Harlen Ainscough at 303-692-3337.

Sincerely,

Steven H. Gunderson
RFCA Project Coordinator

ADMIN RECORD

H:\RFETS\500-4 IHSS DSR (IHSS 500-117.2), Approval.doc

IA-A-002495

Mr. Joseph Legare
June 18, 2004
Page 2

cc: Mark Aguilar, EPA
Norma Castaneda, DOE
Lane Butler, KH

Mark Sattelberg, U.S.F&W
Dave Shelton, KH
Administrative Records Building T130G